

RIDE-ON ACCESSORIES

EDITION 5



Garden Trailers



Lawn Sweepers



Tyres



Dethatchers



Aerators



Spreaders



Mower Accessories



Road Trailers



Mower Lifters



Lawn Rollers

DISTRIBUTED BY





HEAVY DUTY POLY UTILITY DUMP CART

- Heavy Duty 6 1/2" wide turf tread tyres for maximum traction
- Bed divider channels
- Side stake extension slots
- Hands free foot pedal tip release for easy emptying of loads
- Heavy Duty 6.4mm thick poly bed won't dent or rust
- 2 Year Warranty

PART NO. 95-83392

DRY WEIGHT	34kg
LOAD CAPACITY	400kg
TYRE SIZE	16x6.50-6
DIMENSIONS	1981mm x 952mm



HEAVY DUTY POLY UTILITY DUMP CART

- Heavy Duty 6" wide turf tread tyres for maximum traction
- Bed divider channels
- Side stake extension slots
- Hands free foot pedal tip release for easy emptying of loads
- Heavy Duty 6.4mm thick poly bed won't dent or rust
- Optional 180 Degree Full Dump Kit
- 2 Year Warranty

PART NO. 95-83383

DRY WEIGHT	34kg
LOAD CAPACITY	300kg
TYRE SIZE	15x6.00-6
DIMENSIONS	1700mm x 970mm



BED DIVIDER CHANNELS FITTED




STAKE SIDE KIT FITTED

180 DEGREE FULL DUMP KIT FOR 10 CU.FT POLY CARTS

The 180-degree Dump Kit upgrades your Brinly cart's standard bed angle to a full 180° dump, ensuring unloading is always quick and easy. This easy-to-install conversion kit is perfect for when you need to empty damp materials, such as leaves, mulch, soil and more.

- Upgrade your cart to a full 180-degree dump angle
- Can be easily added to your existing cart.
- The bed is fully emptied every time you unload, no raking or shovelling required.
- All new cart hardware and drill bit included.
- 2 Year Warranty

PART NO. 95-83351



POLY UTILITY DUMP CART

Push/Tow convertible with supporting
castor wheel

PART NO. 95-83381

LOAD CAPACITY	300kg
TYRE SIZE	4.80x4.00-8
DIMENSIONS	1500mm x 935mm



POLY UTILITY DUMP CART

Push/Tow convertible with supporting
castor wheel

PART NO. 95-83382

LOAD CAPACITY	300kg
TYRE SIZE	16x6.50-8
DIMENSIONS	1500mm x 935mm





TOW SPREADERS

- Adjustable flow rate
- Adjustable spread width
- Fully enclosed gearbox and stainless steel components
- Wide pneumatic 13x500-6 turf tyres
- Convenient for spreading seed, insecticide, fertiliser and lawn food
- Adjustable spread width 8"-12" (203mm-305mm)
- Polyethylene Hopper
- High speed 6:1 reduction providing widest spread pattern at lowest speeds
- Fully enclosed gearbox with stainless steel components including shaft and agitator
- Solid steel axles
- 2 Year Warranty



PART NO. 95-83388

CAPACITY 57kg / 70 litre

DRY WEIGHT 20kg

DIMENSIONS 1090mm x 740mm x 780mm

- 2 Year Warranty

PART NO. 95-83389

CAPACITY 80kg / 100 litre

DRY WEIGHT 21kg

DIMENSIONS 1090mm x 740mm x 870mm



TOW-BEHIND LAWN ATTACHMENTS



TOW LAWN SWEEPER

- Large 566 litre hopper for fewer stops to unload debris
- Six high velocity brush design provides maximum pick-up on first pass
- 8 position height adjustable
- Unload from ride-on seat
- Easily stores with minimum storage space required
- Large 305 x 76mm wheels
- 2 Year Warranty

PART NO. 95-83384

DRY WEIGHT	36kg
DIMENSIONS	2180mm x 1350mm x 970mm



TOW DETHATCHER

- Gently combs away dead grass, roots and other lawn debris to the surface, so water, air and nutrients penetrate to the root system.
- 20 x 3/16" diameter triple coil strength spring steel tines guarantee maximum efficiency, durability and thatch removal.
- Three operating modes (Dethatch, Scarify & Transport) deliver the right height for the job, whether dethatching, scarifying or crossing walks.
- Heavy-duty steel tine tray design provides maximum durability and holds additional weight when necessary.
- Two rows of independently flexing tines remove dead grass and roots (thatch), opening your root system to water and nutrients.
- 2 Year Warranty



PART NO. 95-83359

CAPACITY	32kg
TYRE SIZE	6" x 1.5"
DIMENSIONS	1016mm x 1016mm

TOW SPIKE AERATOR

- Perforates the soil up to 2" deep so seed, fertilizer, and water reach your lawn's root system.
- Durable, heavy-duty spike aerators comes with 11 galvanized steel stars, 132 tine tips to ensure maximum aeration.
- The transport aerator comes standard with transport wheels – perfect when crossing driveways, sidewalks, gravel paths, etc, simply reach behind you and pull the lever to engage the wheels instead of the tines.
- Each 8" diameter star rotates independently and continues revolving during tractor turns ensuring no area goes without aeration
- Rigid, fully enclosed weight tray provides maximum durability and support for additional tray weights, ensuring maximum penetration
- 3 Year Warranty



PART NO. 95-83361

DRY WEIGHT	68kg
TIRE SIZE	8" x 1.75"
DIMENSIONS	1181mm x 660mm

TOW-BEHIND LAWN ATTACHMENTS CONT.



TOW PLUG AERATOR

The 24 heat treated 16-gauge steel core plug spoons pull 3" soil cores of soil to the surface, allowing water, seed and fertilizer to reach your lawn's root system and the easy-to-engage transport wheels make crossing driveways and sidewalks a breeze. Don't settle for a less than perfect lawn!

- Three independently rotating, welded plug tine sections ensure reliability and compensate for uneven ground passes and tractor turns.
- Each plugging spoon is individually replaceable, allowing for quick and inexpensive servicing.
- Single transport lever and large treaded wheels make crossing driveways and walkways simple
- 2 Year Warranty



PART NO. 95-83364

CAPACITY	68kg
TYRE SIZE	10" x 3.00"
DIMENSIONS	1295mm x 940mm



105 LITRE PUSH/TOW ROLLER

- Versatile push/tow design allows for rolling both tight spaces and open areas
- 105 Litre capacity poly drum won't dent or rust
- Rounded drum ends ensure a smooth turn without damaging lawn
- Packs down new soil, seed and un-level ground
- 2 Year Warranty

PART NO. 95-83386

DRY WEIGHT	18kg
WEIGHT WITH WATER	122kg
DIMENSIONS	460mm x 610mm



160 LITRE TOW ROLLER

- 160 Litre capacity poly drum won't dent or rust
- Rounded drum ends ensure a smooth turn without damaging lawn
- Packs down new soil, seed and un-level ground
- 2 Year Warranty

PART NO. 95-83387

DRY WEIGHT	24kg
WEIGHT WITH WATER	177kg
DIMENSIONS	460mm x 915mm



VERTICAL CHIPPER/SHREDDER

COX CHIPPER

- Produces neat, square 12mm chips, ideal for quick decomposition
- Horizontal Drum with Twin Blades, efficiently processing branches and garden waste up to 100mm (4") in diameter
- Chipper Tube and Wide Shredder Hopper, handles leaves and branches up to 100mm (4")
- Briggs & Stratton XR2100 420cc, 13.5HP Engine
- Electric Start
- Swivel Discharge

PART NO. CVC13B

WEIGHT	200kg
--------	-------

TYRE SIZE	16x8.0-7 Pneumatic Wheels
-----------	---------------------------



ATTACHMENTS

RACKS360 ROPS TOOL MOUNTING KIT

The RACKS360 mounting system rotates 360 degrees to allow tools of many shapes and sizes to be attached securely no matter your rollbar's angle or configuration. This allows you to keep your tools with you wherever you go so you can multi-task efficiently.

- Hardware and basic installation tools included
- Fits round, square and rectangular roll bars
- Designed to carry line trimmers, brushcutters, garden tools.
- Carabiners to carry earmuffs and many garden tools

PART NO. 95-83312



BTR - ULTIMATERACK

Bigtoolrack BTR-UltimateRack. Safely carry all of your project supplies and tools in this heavy duty rack with its many innovative features and smart design. The UltimateRack is designed so you can load up once, go to work, and come back without having to make multiple trips. Includes: 3 universal tool holders, 4 storage bins, 4 drop down holders, 2 four hole tool holders, rubber cargo liner, counter weight bracket, chainsaw holder, grass trimmer holder kit, hitch port to plug in tow receiver, telescoping wheel kit.

- Mounts to larger ride-on mowers and small to medium tractors
- Carries, ladders, timber, chainsaws, trimmers, blowers, ropes, chains, gloves, straps, long handled tools.
- Active tailgate with cables
- Use the optional Tow Hitch to also tow your garden trailer or log splitter
- Comes with telescoping wheel kit to convert your rack to a mobile tool storage system for your garage or shed
- Comes 85% assembled in the box
- Heavy duty powdercoated frame resists rust and corrosion
- I-Match and Quick Hitch ready
- Attaches to any tractor with 3 point linkage in seconds!
- 12 month warranty



Optional attachments:

- Tow Hitch Part No. 95-83325
- 5N1 Tool and Chainsaw Holder Part No. 95-83326

PART NO. 95-83323

LOAD CAPACITY	600 LBS CARGO AREA
	250 LBS Tailgate
	50 LBS Tongue Capacity (tow feature) designed to tow a trailer, log splitter or other small attachments.
DIMENSIONS	1461mm x 914mm x 1499mm

BTR - TOW HITCH

Bigtoolrack BTR-Tow Hitch. Attaches to the BTR-YardRack to allow you to tow a trailer, logsplitter, sprayer etc.

PART NO. 95-83325



BTR - YARDRACK

Bigtoolrack BTR-YardRack. Safely carry all of your project supplies and tools in this heavy duty rack with its many innovative features and smart design. The YardRack is designed so you can load up once, go to work, and come back without having to make multiple trips. Includes Large heavy duty canvas bag with metal tube support frame, heavy duty wire rope lanyards, Upright Main Frame bar to attach your tool holders, Universal hitch mounting plate that easily attaches to most tractors & mowers, Universal tool holder that is perfect for rakes, shovels, axes and more, Universal drop down hook that carries garden hoses, sprayers, rope and more, Plastic base cargo liner comes standard.

Optional attachments:

- 5N1 Tool and Chainsaw Holder Part No. 95-83326
- Tow Hitch Part No. 95-83325

PART NO. 95-83321

LOAD CAPACITY	75 LBS CARGO AREA
DIMENSIONS	737mm x 483mm x 267mm



BTR - 5N1 TOOL HOLDER

Bigtoolrack BTR-5N1 Tool Holder. Attaches to the BTR-YardRack and BTR-UltimateRack. Allows you to hook carabiner, S-biners and gear ties through the various mounting holes to be able to secure any item that you want to take with you while out on your property.

- Holds up to 4 long handled tools and one chainsaw or hedges trimmer
- Includes 8 rubber grommets to protect long handled tools

PART NO. 95-83326



MOWER LIFTER - MOJACK EZMAX

- Fits most residential lawn tractor and small ZTR mowers
- Easily lifted with one hand or a power drill
- Folds flat for easy, compact storage

PART NO. 95-83379

LIFTING CAPACITY 450 lbs (204kg) (lifting front end only, not total weight of mower)

LIFTING HEIGHT 24" (610mm) high

WHEEL SPAN MEASUREMENT 18.5" (470mm) - 47.5" (1207mm) (inside to outside front tires)



MOWER LIFTER - MOJACK 750XT

Larger model Mo-Jack Lifter.

- Fits any lawn tractor or ZTR riding mower on the market
- Easily lifted with one hand or a power drill
- Folds flat for easy, compact storage

PART NO. 95-83336

LIFTING CAPACITY 750 lbs (340kg) (lifting front end only, not total weight of mower)

LIFTING HEIGHT 25" (635mm) high

WHEEL SPAN MEASUREMENT 31.5" (800mm) - 62.5" (1588mm) (inside to outside front tires)



MOWER LIFTER

- Easily lifted with one hand or a power drill
- Folds flat for easy, compact storage

PART NO. 95-83377

LIFTING CAPACITY 400kg (lifting side only, not total weight of mower)

LIFTING HEIGHT 28" (710mm) high

WHEEL SPAN MEASUREMENT 38" (970mm)



RIDE ON RAMPS

FOLDING ALUMINIUM RAMPS

- High quality Folding Arched Aluminium Ramps suitable for ATV, motorcycle, ride-on mowers

PART NO. 95-83385

LOAD CAPACITY 340kg (individual ramp) 680kg (per pair)



MOWER DECK LEVELLING GAUGE

PART NO. 95-83502

Allows quick and accurate mower deck levelling and cutting height adjustment



SEAT AND RIDE-ON COVERS

SEAT COVER

- Storage pockets on back
- Protects new seats, refurbishes old seats
- Waterproof



PART NO. 70-31515

DELUXE RIDE-ON MOWER COVER

- Dark green
- Protects against wind, rain, snow, sun, dust and dirt damage
- Also fits BBQ's and motorcycles



PART NO. 70-31516

TOW BALLS



PART NO. 92-7924

SIZE 1 7/8"

PART NO. 92-7925

SIZE 50mm

- 19mm post thread
- Attaches to drawbar or rear hitch to allow towing

TOW COUPLING



PART NO. 92-79002

TOWBALL SIZE 1 7/8"

CAPACITY 2000lbs (907kg)

- Fits Channel/Tongue width 2" (53mm)

JUMP STARTER

1,000 Amp Ultra-safe Lithium Jump Starter.
Portable lithium-ion battery jump starter pack, delivers 1,000-amps for jump starting a dead battery in seconds. Designed for Motorcycle, ATV, Snowmobile, Personal Watercraft, Lawn Mower, Car, Boat, RV, Truck and more with gas engines up to 6 litres, and diesel engines up to 3 litres.

- Compact, powerful lithium jump starter rated at 1,000 Amps - up to 20 jump starts on a single charge.
- Ultra-safe and mistake-proof design with spark-proof technology and reverse polarity protection, which allow it to safely connect to any battery.
- Ultra-bright 100 lumen LED flashlight with 7 light modes, including SOS and emergency strobe.
- Recharge your personal devices on the go, like smartphones, tablets, e-watches and more - up to 4 smartphone recharges.
- Designed for gas engines up to 6 Litres and diesel engines up to 3 Litres for cars, boats, lawn mowers and more.



PART NO. 95-83344

BATTERY CHARGER

- Genius G750 Ultra-compact, rugged and portable Ultra-safe Smart Charger.
- 6 and 12 volt battery charger and maintainer
- Designed for charging Motorcycle, ATV, Snowmobile, Personal Watercraft, Lawn Mower and much more.
- Features spark proof technology and reverse polarity protection
- Charges 2x faster than ordinary chargers
- Rejuvenates underperforming batteries
- Stay connected 24/7 with zero overcharge



PART NO. 95-83346

SMOOTH TREAD

Smooth Tread avoids damaging the turf at any point. Allows the mower to glide over the surface without compacting or otherwise damaging the surface. Ideal for when uniform, undisturbed surfaces are necessary i.e. golf courses and fine lawns.



KNOBBLY GRIP

Provides excellent traction with less aggression and damage to the turf.



TURF TREAD

Provides good traction without damaging your grass.



SUPER GRIP

Offers increased traction combined with a low profile and is typically used on professional riding mowers where hillside traction is desired regardless of the terrain.



TURF PRO

Provides longer tread life with minimal turf wear, offers all-around performance and manoeuvrability with a balanced profile and tread depth.



TRACTOR GRIP

Provides traction by allowing the lugs to push against the turf. These are particularly useful in slippery, swampy, muddy areas and steep slopes. Deep lugs give excellent traction regardless of the terrain.





8 X 5 ECONOMY SINGLE AXLE TRAILER

- Tilting function for loading low clearance mowers
- Rear stability legs
- Hot dip galvanized steel construction
- Box section chassis frame
- Alloy chequer plate over 18mm ply deck
- 300mm high side and front rails.
- 165/70 R13 6ply Tyres
- 3 leaf slipper suspension
- Folding jockey wheel
- NZ standard 1 7/8" ALKO coupler
- NZ standard 7 pin flat plug
- Full width mesh ramp 1200mm x 1440mm
- Made in China

- ✓ NZ LTSA compliant
- ✓ 12 Month Parts Warranty
- ✓ 24 Month Structural Warranty

PART NO. 95-83362

GROSS VEHICLE WEIGHT	1000kg
TARE WEIGHT	215kg
INSIDE DIMENSIONS	1480mm (58") x 2350mm (93")

OPTIONAL 900MM CAGE PART NO. 95-83363





10 X 6 ECONOMY SINGLE AXLE BRAKED TRAILER

- Tilting function for loading low clearance mowers
- Rear stability Legs
- Hot dip galvanized steel construction
- Box section chassis frame
- 18mm Eurogrip ply deck
- 150mm high side and front rails
- 185/70R14C 8ply tyres
- Over-ride disc brakes
- 5 leaf slipper suspension
- Folding jockey wheel
- NZ standard 1 7/8" ALKO coupler
- NZ standard 7 pin flat plug
- Twin ramps
- Made in China

- ✓ NZ LTSA compliant
- ✓ 12 Month Parts Warranty
- ✓ 24 Month Structural Warranty

PART NO. 95-83365

GROSS VEHICLE WEIGHT	1250kg
TARE WEIGHT	350kg
INSIDE DIMENSIONS	1820mm (72") x 3050mm (120")



PART NO. 95-8453

SIZE 5L



PART NO. 95-8454

SIZE 5L For 2 Stroke Fuel



PART NO. 95-8455

SIZE 6/2.5L Combo



PART NO. 95-8460

SIZE 10L



PART NO. 95-8462

SIZE 20L Squat



PART NO. 95-8463

SIZE 20L Tall



PART NO. 95-84608

SIZE 20L Squat For Diesel



PART NO. 95-8461

SIZE 20L Tall For Diesel

FOR MORE INFORMATION ON PRODUCTS SHOWN IN THIS BROCHURE CONTACT YOUR SERVICE DEALER: