



THE ULTIMATE SLOPE AND ROUGH TERRAIN MOWER

**BUILT IN JAPAN,
TRUSTED IN
NEW ZEALAND**



DISTRIBUTED BY



camaproducts.co.nz

AR800A

2WD Mower

Engine: 14.5hp 603cc Kawasaki FS481V V-Twin OHV

Suspension: Adjustable Front Suspension

Cutting Width: 2" (800mm)

Deck Type: Pressed Steel

Cutting Height: Stepless Adjustment (20mm – 90mm)

Drive System: Hand & Foot Hydrostatic

Speed: 0–10.0 km/h

Weight: 255kg



HANDLES
SLOPES
UP TO
20°

KEY FEATURES

High-Capacity Hydrostatic Transmission

13CC for powerful drive on steep, challenging slopes.

Diff Lock

Enhanced traction on uneven terrain.

Climbing Capability

Handles slopes up to 20°.

Flail Blade Cutting System

Efficient and precise cutting for demanding applications.

Adjustable Steering Wheel

3-position steering wheel for optimal comfort.

Comfortable Adjustable Seat

For long hours of operation without fatigue.

Kawasaki V-Twin Engine

Smooth, quiet operation with low fuel consumption.

Fabricated Chassis

Designed for durability and heavy-duty use.

Heavy-Duty Mowing Decks

Built to withstand tough conditions.

Underbody Skid Plates

Protects the mower from rough ground.

BUILT TO WITHSTAND TOUGH CONDITIONS



POWERFUL ENGINE



OPTIONAL ACCESSORIES

Bullbar, Folding ROPS Frame for added safety and protection.

atex

THE TOUGHEST MOWER FOR
THE TOUGHEST JOBS

THE ULTIMATE SLOPE AND ROUGH TERRAIN MOWER

Since 1934, Atex has led mower engineering in New Zealand, delivering unbeatable performance on the toughest terrain. From steep slopes to rough paddocks, Atex gets the job done safely, efficiently, and reliably. Built with precision and powered by industry-leading engines, Atex mowers are the first choice for slope and rough terrain mowing—offering unrivalled performance and value.

AR950FA

4WD Mower

Engine: 23.0hp 726cc Kawasaki
FS691V V-Twin OHV

Suspension: Adjustable Front Suspension

Cutting Width: 38" (950mm)

Deck Type: Pressed Steel

Cutting Height: Stepless Adjustment
(35mm – 125mm)

Drive System: Hand & Foot Hydrostatic

Speed: 0–10.0 km/h

Weight: 360kg



HANDLES
SLOPES
UP TO
25°

SAFELY MOW STEEP SLOPES



COMFORTABLE RIDE



KEY FEATURES

High-Capacity Hydrostatic Transmission

13CC for superior drive and performance on steep slopes.

Diff Lock

Provides additional traction for challenging terrain.

Climbing Capability

Handles slopes up to 25°.

Flail Blade Cutting System

Ideal for tough grass and uneven ground.

Adjustable Steering Wheel

3-position adjustment for personalised comfort.

Comfortable Adjustable Seat

Ergonomically designed for extended use.

Kawasaki V-Twin Engine

High performance with quiet, efficient operation.

Fabricated Chassis

Rugged and reliable for heavy-duty applications.

Heavy-Duty Mowing Decks

Designed for intensive use in tough conditions.

Underbody Skid Plates

Offers extra protection when working on uneven terrain.



OPTIONAL ACCESSORIES

Bullbar, Folding ROPS Frame for added safety and protection.

WHY CHOOSE ATEX?

Tame Overgrown Areas Safely

Ideal for clearing rough, overgrown land and maintaining hard-to-reach areas, such as steep hillsides and rural properties.

Robust and Reliable

Proven in the toughest conditions, ATEX mowers are designed to last, keeping you productive year after year.

Precision and Power

Equipped with the latest in mower technology, ATEX delivers a clean, professional finish every time, whether you're managing large rural properties or suburban backyards.

R1600

2WD Mower

Engine: 23.0hp 726cc Kawasaki FS691V V-Twin OHV

Suspension: Adjustable Front Suspension

Cutting Width: 48" - 62" (1240-1590mm)

Deck Type: Pressed Steel

Cutting Height: Stepless Adjustment (40mm - 110mm)


Drive System: Hand & Foot Hydrostatic

Speed: 0-10.5 km/h

Weight: 368kg



SIDE RETRACTING WING



SIDE RETRACTING WING



KEY FEATURES

High-Capacity Hydrostatic Transmission

13CC for superior drive and performance on steep slopes.

Diff Lock

Provides additional traction for challenging terrain.

Climbing Capability

Handles slopes up to 20°.

Flail & Bar Blade Cutting System

Ideal for tough grass and uneven ground.

Side Retractable Wing

Manual or Automatic Operation. Adjustable Sensor controlled retraction

Comfortable Adjustable Seat

Ergonomically designed for extended use.

Kawasaki V-Twin Engine

High performance with quiet, efficient operation.

Fabricated Chassis

Rugged and reliable for heavy-duty applications.

Heavy-Duty Mowing Decks

Designed for intensive use in tough conditions.

Underbody Skid Plates

Offers extra protection when working on uneven terrain.



OPTIONAL ACCESSORIES

Bullbar, Folding ROPS Frame for added safety and protection.

Unmatched Slope Capability

Mow with confidence on slopes up to 25 degrees, making it perfect for a wide variety of terrains.

Powerful, On-Demand 4WD

Tackle any ground condition with ease. Atex's on-demand 4WD, combined with tractor grip tyres, ensures superior traction and stability.

Hydraulic Drive Power

Class-leading high-capacity hydraulic drives deliver consistent performance in the most demanding conditions, from roadside verges to steep stopbanks.

RJ705

Tracked Remote Control Mower

Engine: 570cc Briggs & Stratton Vanguard + 2 x 750W Brushless Motors
Cutting Width: 28" (700mm)
Deck Type: Pressed Steel
Cutting Height: 5mm – 95mm

Drive System: Remote Control
Speed: 0–4.0 km/h
Weight: 365kg



STABILITY
ON SLOPES
UP TO
45°

Why Choose the RJ705?

POWERFUL & VERSATILE

Combines a high-performance engine for cutting and brushless electric motors for movement, offering a perfect balance of power and control.

SUPERIOR STABILITY

With its tracked design and slope assist system, the RJ705 effortlessly navigates challenging terrains, even up to 45° slopes.

REMOTE CONTROL OPERATION

Operate safely from a distance, ideal for hazardous or difficult-to-access areas.

DURABILITY

Built with Falken rubber tracks, the RJ705 is engineered to handle tough environments and provide superior traction.



KEY FEATURES

Electric Start & Auto Choke

Easy start-up with auto choke for convenience in all conditions.

Double Flail Blade System

Efficient cutting and mulching for a clean, precise finish.

Dual Power Drive System

Cutting by Engine

Robust cutting power from the 570cc Briggs & Stratton Vanguard engine.

Travel by Electric Motors

Quiet and smooth operation with the electric drive. Allowing operator to continue driving if unit runs out of fuel.

Slope Assist Control System

Automatically adjusts to maintain stability on slopes, up to 45°.

Automatic Engine Self-Levelling

Ensures the engine maintains an optimal position for efficient operation.

7 Deck Height Positions

Customize the cutting height for various terrain and grass conditions.

Falken Rubber Tracks

Provide superior traction and stability on uneven or soft ground.

APPLICATIONS

- Steep or Hard-to-Reach Areas
- Landscaping & Forestry
- Maintenance of Slopes & Embankments
- Grass Cutting in Hazardous Areas (such as around power lines or near water)
- Public Green Spaces & Parks



Commercial-Grade Kawasaki Engines

Equipped with premium Kawasaki engines, renowned for their power and reliability, even in the harshest conditions.

Durability and Reliability

Engineered in Japan for lasting quality, Atex mowers are built to handle the roughest terrains while being easy to operate and maintain.

**BUILT IN JAPAN,
TRUSTED IN
NEW ZEALAND**

XG35

Power Carrier

Engine: Honda GP160
Speed: 0–4.1 km/h
Weight: 65kg
Fuel Tank Capacit: 3.1L
Load Capacity: 350kg



**LOAD
CAPACITY**

Why Choose the XG35 Power Carrier?

COMPACT YET POWERFUL

With a robust Honda engine and Falken rubber tracks, the XG35 combines compact size with high performance for superior manoeuvrability.

VERSATILE & ADAPTABLE

The removable sides and tipping deck make it easy to transport materials of various sizes and shapes.

DURABILITY

Designed with exceptional Japanese engineering, the XG35 is built to withstand the toughest conditions and provide reliable service for years.

EFFICIENT HAULING

With a 350kg load capacity and easy-to-adjust features, it is the perfect solution for transporting heavy materials across a range of terrains.



KEY FEATURES

2 Forward Speeds, 2 Reverse Speeds

Adapt to various work environments with multiple speed options for forward and reverse motion.

3.1L Fuel Tank

Provides ample fuel capacity for extended operation with fewer refueling stops.

Falken Rubber Tracks

High-quality rubber tracks for superior traction and stability on rough, uneven terrain.

Easy-Start Honda GP160 Engine

A reliable, easy-to-start engine that delivers consistent power and low fuel consumption.

350kg Load Capacity

Designed to handle heavy loads efficiently, making it ideal for tough hauling tasks.

Heavy-Duty Steel Tray

Built for durability and strength to transport a variety of materials safely.

Tipping Deck

Simplify unloading with an easy-to-use tipping mechanism.

Expandable Sides

Adjustable sides that slide outwards to increase load space, with the flexibility to remove the sides and front completely for even more capacity.

APPLICATIONS

- Landscaping & Grounds Maintenance
- Construction & Building Sites
- Transporting Materials in Tough Terrain
- Agricultural & Gardening Use
- Hauling & Lifting in Confined Spaces



Cama Products

PO Box 1588, Whangarei 0140,
New Zealand

E: sales@camaproducts.co.nz
camaproducts.co.nz