

2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022



Purchases to be over \$500 for a 5 month payment plan. Charged at the first of the month. If a monthly fee is missed it will be picked up in the next Direct Debit cycle. Payment plan to approved applicants only; fees, terms, conditions, minimum amounts and exclusions apply. Payment plan provided by Certegy Ezi-Pay Pty Ltd ABN 28 129 228 986. VIPs have used humm and qualify for special offers like no deposit.

Credit approved applicants only; fees, terms, conditions, minimum amounts and exclusions apply. Credit provided by Certegy Ezi-Pay Pty Ltd ABN 28 129 228 986.

## Zip now, pay later **zip**

Zip Pay: Minimum monthly repayments are required. A monthly account fee of \$7.95 applies. This fee is waived each month you pay your statement closing balance, in full, by the due date.

Payments may take up to 3 business days to reach your biller. Certain biller exclusions apply including but not limited to credit institutions, gambling, share trading, personal loans and DEFT rent. A processing fee will be payable for each bill and invoice processed through Zip. The amount of the fee will be advised and authorised by You at the time of any relevant bill payment. ® Registered to BPAY Pty Ltd ABN 69 079 137 518.



COX Industries (Australia) Pty Ltd  
1041 Beaudesert Road, Archerfield Queensland, Australia 4108  
coxmotors.com.au sales@coxmotors.com.au

Specifications are current at time of publication and subject to continuous improvement without notice.

2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022



Mowing Australia's Grass for 70 Years



2020  
2017  
2014  
2011  
2008  
2005  
2002  
1999  
1996  
1993  
1990  
1987  
1984  
1981  
1978  
1975  
1972  
1969  
1966  
1963  
1960  
1957  
1954  
1


# Australian Engineered - Since 1954

When Owen Cox built his first MowMobile in 1954, we doubt even he knew the ongoing legacy he had created.

Nearly Seventy years later, COX Ride-on Mowers and Garden Equipment are regarded as the Australian benchmark for Practicality, Durability and Engineering – testimony to Owen’s belief that Quality Components are paramount to Quality Equipment.



Why Invest in a COX Ride-On Chassis?	3
Why Invest in a COX Ride-On Cutter Deck?	5
COX Stockman	7
COX Stockman PLUS	9
COX Stockman PRO	11
COX Stockman ZTR 35	13
COX Stockman ZTR 42 & 48	15
Why Invest in a COX Professional	17
COX Professional DRIVE 19 21	19
COX Professional PUSH 18 19 19A Utility 21	21
COX Professional CYLINDER	23
COX Piecemaker	25
COX Vertical Chipper	27
COX Log Splitter	29
COX Commercial STANDER B	31
COX Commercial STANDER ZK	33
COX Commercial TURF ONE	35
Stockman Accessories	37
COX Five Year Warranty	38



Our longevity is legendary.



MowMobile  
1959-1968



5-25 MowMobile  
1968-1974



9-28 Compact Tractor  
1969-1976



Compact Tractor  
1986-1990



Stockman  
1993-2000



Supa-Nova  
1990-1993



New Generation  
1998-2004



Stockman Series 2  
2002-2005



LawnBOSS  
2004-2015



LawnBOSS  
2015-2017



Stockman Series 3  
2008-2014



Stockman 4500  
2014-2021



So why invest in a COX?

Our Chassis are Engineered for Life

Whether you're mowing billiard table flat lawns, rolling manicured slopes or the rockiest of paddocks, it is reassuring to know your COX has been engineered to handle the toughest of Buffalo, the hardest Kikuyu or our national perennial pest, wispy Onion grass.

Robot welded frame with oversized steel rails, quality components and premium ripple powder coating all combine to ensure chassis reliability that's now legendary.


Backed by a nationwide genuine parts and accessories Dealer network that will get you back mowing quickly, there is simply no other choice when it comes to Australian engineered, Australian owned, ride-on mowers.




Quality Tuff Torq Transmission - infinite choice of speed and easier turns



Premium Ripple Power Coating for added durability



Spring assisted deck height adjustment



Pivoting front axle beam reduces scalping over uneven ground



Premium sealed wheel bearings




Easy access Fuel Tank with visual gauge



Oversize Drive Pedal suits all workboots



Electric Cutting Engagement



B Section Belts fitted for longevity and inexpensive replacement




So why invest in a COX?


Our Cutting Decks are Engineered for Life

Long and/or wet grass is tough work for any mower. Only COX engineer our cutting decks with a proprietary Front Scallop Entry to ensure grass is cut, rather than being pushed flat.

No other mower is Engineered like a COX - **Cuts First Pass.**




○ COX Proprietary Front Scallop Entry



○ Heavy Duty Cast Iron Spindle Housing



○ Impact Absorbing High Tensile Swing Back Blades



○ Robotically Welded, Full Perimeter Seam, Fabricated Steel Deck




○ Pulleys & Spindles all have Premium Sealed Bearings



○ Super Wide Discharge Chute



○ Anti Scalp Wheels for a Level Cut across all Terrain





2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022  
2021  
2020  
2019  
2018  
2017  
2016  
2015  
2014  
2013  
2012  
2011



○ Twin Drink Holders



○ Electric Pull Button Cutting Engagement



○ Easy Lift Deck Height Adjustment



Models	Stockman - CTH15B32/CTH15C32/CTH16C32
Engine	B&S Intek 15.5HP/COX 15HP OHV/COX 16HP OHV
Cylinders	Single
Displacement	500cc/432cc/440cc
Oil Capacity	1.4LT
Engine Warranty	2 Yrs B&S Covered/3 Yrs COX Conditional
<b>Drive</b>	
Drive Type	Hydrostatic Transaxle
Drive Model	Tuff Torq K46
Drive Warranty	2 Yrs Conditional
Ground Speed	FWD 0-9KPH/REV 0-6KPH
<b>Cutting System</b>	
Cutter Deck Width	32"(805mm)
Blade Engagement	Ogura Electromagnetic Clutch
Cutter Belt Type	Premium B-Section
Height Range	20mm-75mm (40mm-95mm optional raise kit)
Blade Type	Heavy Duty Swing Back
<b>Chassis</b>	
Tyres	13x5.00-6 (F) , 16x6.5-8 (R)
Seat	Comfort Seat with Springs
Seat Adjustment	Manual Adjustment
Hour Meter	Standard
Construction	Fabricated Steel
Steering Wheel	Premium Steering Wheel
<b>Dimensions</b>	
Length	1700mm
Width	805mm
Weight	189Kg
Warranty	5 Yrs Conditional

○ Comfort Seat with Springs



○ 32" Fully Fabricated Deck



○ Pivoting Front Axle



Since 1993 time has proven that the Stockman is synonymous for Australian designed mowers that are rugged, reliable, great value for money and specifically suited for Australia's unique conditions.

Our 2022/23 models continue this proud tradition - comfortable, affordable and user-friendly.

Specifications are a guide only and subject to change without notice for all models.





2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022

Affordable, Economical and  
Reliable, our COX Stockman Plus  
has all the answers.

Powered by a Briggs & Stratton  
17.5 hp or COX 18 hp single cylinder engine, our Stockman Plus  
is the ideal choice for a heavy-duty mower on mid-sized  
acreages.



Stockman Plus Models		CTH17B32/CTH17B40/CTL17B32 CTH18C32/CTL18C32/CTH18C40
Engine	B&S 17.5HP Intek/COX 18HP OHV	
Cylinders	Single	
Displacement	500cc/550cc	
Oil Capacity	1.4LT	
Engine Warranty	2 Yrs B&S Covered/3 Yrs COX Covered	
Drive		
Drive Type	Hydrostatic Transaxle (optional Auto Diff Lock)	
Drive Model	Tuff Torq K46	
Drive Warranty	2 Yrs Conditional	
Ground Speed	FWD 0-9KPH/REV 0-6KPH	
Cutting System		
Cutter Deck Width	32"(805mm) / 40"(1016mm)	
Blade Engagement	Ogura Electromagnetic Clutch	
Cutter Belt Type	Premium B-Section	
Height Range	20mm-75mm (40mm-95mm optional raise kit)	
Blade Type	Heavy Duty Swing Back	
Chassis		
Tyres	15x6.00-6 (F) , 18x8.5 (R)	
Head Light	LED	
Seat	Premium Highback Seat with Springs	
Seat Adjustment	Fingertip Adjustment	
Hour Meter	Standard	
Construction	Fabricated Steel	
Steering wheel	Premium Steering Wheel	
Dimensions		
Length	1805mm	
Width	805mm/1250mm	
Weight	189Kg/206Kg	
Warranty	5 Yrs Conditional	



○ Larger Wheel Package



○ Twin Spindle  
40" Deck Available



○ Pedal Controlled  
Tuff Torq Transmission



○ LED  
Headlight



2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022  
2021  
2020  
2019  
2018  
2017  
2016  
2015  
2014  
2013  
2012  
2011



○ Convenient Arm Rests for Extra Comfort



○ Turfmaster Wide Tyre Package



○ Tuff Torq Auto Locking Differential



○ Option of 35" single or 40" twin spindle, fully fabricated decks



○ Practical Front Bumper

COX Stockman Pro... the benchmark that all others are judged by.

Our COX Stockman Pro is designed for landowners who need a powerful machine for large areas or difficult terrain. Slash fire breaks, tackle the back paddock or mow your lawn - this Aussie Legend will handle it all with ease.



Stockman Pro Models:		CTL20B35/CTL20B40 CTL24C35/CTL24C40
Engine	B&S 20HP Intek VTwin/COX 24HP VTwin	
Cylinders	V-Twin	
Displacement	656cc/680cc	
Oil Capacity	2.0LT	
Engine Warranty	2 Yrs B&S Covered/3 Yrs COX Covered	
Drive		
Drive Type	Hydrostatic with Auto Locking Diff	
Drive Model	Tuff Torq K46EH (Auto Diff Lock)	
Drive Warranty	2 Yrs Conditional	
Ground Speed	FWD 0-9KPH/REV 0-6KPH	
Cutting System		
Cutter Deck Width	35" (890mm) / 40" (1016mm)	
Blade Engagement	Ogura Electromagnetic Clutch	
Cutter Belt Type	Premium B-Section	
Height Range	20mm-75mm (40mm-95mm optional raise kit)	
Blade Type	Heavy Duty Swing Back	
Chassis		
Tyres	15x6.00-6 (F) , 18x9.5-8 (R)	
Head Light	Standard	
Seat	Premium Highback Seat	
Seat Adjustment	Fingertip Adjustment	
Hour Meter	Standard	
Construction	Fabricated Steel	
Steering Wheel	Premium Steering Wheel	
Dimensions		
Length	1720mm	
Width	885mm / 1250mm	
Weight	230Kg /238Kg	
Warranty	5 Yrs Conditional	



Our Stockman ZTR 35 will easily fit through most backyard entrances, as it measures only 940mm wide (35" Model)

Finally a Zero Turn mower capable of both slashing heavy grass and maintaining your lawns.

The Stockman ZTR has the same cutting performance of our legendary COX ride-on mower range with the added convenience of lever controlled steering essentially means turning on the spot.



POWERED BY  
**COX**

Model	Stockman ZTR - CZ24C35
Engine	COX 24HP V-Twin
Cylinders	V-Twin
Displacement	680cc
Oil Capacity	2.0LT
Engine Warranty	COX 3 Yrs Conditional
<b>Drive</b>	
Drive Type	Hydro-Gear ZT-2200
Ground Speed	FWD 0-12KPH/REV 0-6KPH
Drive Warranty	2 Yrs Conditional
<b>Cutting System</b>	
Cutter Deck Width	35" (890mm)
Blade Engagement	Electromagnetic Clutch
Cutter Belt Type	Premium B-Section
Height Range	20mm-100mm
Blade Type	Heavy Duty Swing Back
<b>Chassis</b>	
Tyres	11x400x5 (F) , 18x6.50-8 (R)
Seat	Premium Highback Seat
Seat Adjustment	Fingertip Adjustment
Hour Meter	Standard
Construction	Fabricated Steel
Fuel Capacity	18 Litres
<b>Dimensions</b>	
Length	1900mm
Width	940mm
Weight	277Kg
Warranty	5 Yrs Conditional

Hand controlled twin levers allow the operator to change direction for greater operator control.

**Stockman**  
**ZTR 35**

Fabricated height adjustment with foot assist for quick lift over obstacles and low-effort height adjustment.

Dual fuel tanks for up to 9 hours of continuous mowing.

Full-length robotically welded frame design has high-strength steel rails for added strength and long life.

Unique pivoting front axle gives increased traction and stability.





2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022  
2021  
2020  
2019  
2018  
2017  
2016  
2015  
2014  
2013  
2012  
2011



Rugged, easy to grip deck floor.

20 Litre fuel tank for up to 10 hours of continuous mowing.

Fully adjustable steering levers for operator comfort.


Pivoting front axle gives increased traction and slope stability.

Easy lift and foot operated height adjustment.

Cast iron spindle housings.

Designed completely from the ground up, our brand new ZTR 42" and 48" models will be market stand outs.

Packed with features including our legendary COX Proprietary front scallop deck entry, both models are powered with COX 26hp VTwin engines and Hydro-Gear ZT2800 servicable transmissions.



Models	Stockman ZTR - CZ26C42/CZ26C48
Engine	COX 26HP V-Twin
Cylinders	V-Twin
Displacement	750cc
Oil Capacity	2.0LT
Engine Warranty	COX 3 Yrs Conditional
Drive	
Drive Type	Hydro-Gear ZT2800 Serviceable
Ground Speed	FWD 0-12KPH/REV 0-6KPH
Drive Warranty	2 Yrs Conditional
Cutting System	
Cutter Deck Width	42" (1070mm)/48" (1220mm)
Blade Engagement	Electromagnetic Clutch
Cutter Belt Type	Premium B-Section
Height Range	20mm-100mm
Blade Type	Heavy Duty Swing Back
Chassis	
Tyres	13x500x6 (F), 20x8-8 (R)
Seat	Premium Highback Seat with Armrests
Seat Adjustment	Fingertip Adjustment
Hour Meter	Standard
Construction	Fabricated Steel
Fuel Capacity	20 Litres
Dimensions	
Length	2050mm
Width	1100mm/1250mm
Weight	277Kg/285Kg
Warranty	5 Yrs Conditional




2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022  
2021  
2020  
2019  
2018  
2017  
2016  
2015  
2014  
2013  
2012  
2011

# COX Professional

So why invest in a COX?

## Our Walk Behinds are Engineered for Life

Designed specifically for discerning lawn enthusiasts wanting a perfect cut every time, our new Professional Series of Push, Drive and Cylinder mowers will deliver exceptionally smooth lawns for generations to enjoy.



### Cutting Deck

All our decks are designed for maximum airflow to allow optimal grass collection.

### Blades

Time proven, COX engineered swing back blades.



### Handle

Rugged handles ensuring comfortable use over prolonged periods

### Catcher

Durable and tough grass catchers that have effective grass air-inflow.

### Wheels

Oversize 230mm double ball bearing wheels.

### Engine

Premium power from easy start Briggs & Stratton or Kohler engines.



2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022



○ 3km, 5km & 7 km/h mowing speeds

○ Heavy duty, direct drive 3 speed gearbox/transmission

○ Durable 73L Dacron rear grass catcher

○ 21" Die cast alloy Chassis/Cutter Housing

○ Extended seven stage cutting range from 20mm-80mm

○ Mulching plug and bumper bar included

# COX

## Professional

### DRIVE

19 21

A combination of class leading direct drive gearbox\*, all alloy cutter housing, super reliable Kohler XTX775 four stroke engine, large 230mm ball bearing wheels and our COX engineered swing back blade system will ensure a tried and true performance in all conditions.



Models	Drive 19	Drive 21
Engine	Kohler XTX775	Kohler XTX775
Cutter Decks Material/Discharge Chute	Steel	Cast/Alloy
Cutting Deck Width	480mm (19")	530mm (21")
Cutting Height Range/Positions	20-80mm/8	20-80mm/7
Four Swing Back Blades	•	•
Grass Catcher Type/Lt	45L Hard	73L Dacron
Mulch plug included	•	•
Upturned Ergonomic Handles	•	•
Ball Bearing Wheels Front/Rear	•	•
Heavy duty axles	•	•
Drive system	Single Speed Belt Drive	Shaft Drive 3 Speed Gearbox
Drive Speed 1st/2nd/3rd - KPH	5	3/5/7
Domestic warranty	2 Years*	2 Years*
^Drive 21 Model Only		

Specifications are a guide only and subject to change without notice for all models.



2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022

# COX

## Professional

# PUSH

18 19 19A

Ranging from our budget conscious 18”(45cm) model through to the durable aluminum 19”(48cm) deck, our new COX Push mowers provide great value, reliable performance and all come with our legendary COX engineered swing back blade system, the perfect mix for our Australian lawns.



45 litre, tough plastic catcher

## UTILITY 21

Complimenting our COX Ride-on range, the versatile Utility 21 is perfect for tight or difficult spaces, cleaning up under trees along boundary fences or those wanting a much faster option than using a whipper snipper to slash unruly grass.



COX Professional Push Mowers	Push 18	Push 19	Push 19A	Utility 21
Engine	Kohler XTX775	Kohler XTX775	Kohler XTX775	Kohler XTX775
Cutter Decks Material/Discharge Chute	Steel/Rear	Steel/Rear	Alloy/Rear	Steel/Side
Cutting Deck Width	450mm (18")	480mm (19")	480mm (19")	530mm (21")
Cutting Height Range/Positions	20-90mm/8	20-90mm/8	20-85mm/10	20-90mm/8
Four Swing Back Blades	•	•	•	•
Grass Catcher Type/Lt	Hard/45Lt	Hard/45Lt	Hard/45Lt	n/a
Mulch plug included	•	•	•	•
Upturned Ergonomic Handles	•	•	•	•
Ball Bearing Wheels Front & Rear	230mm (8")	230mm (8")	230mm (8")	230mm (8")
Heavy duty axles	•	•	•	•
Domestic warranty	2 Years*	2 Years*	2 Years*	2 Years*




Kohler XTX775 173cc four stroke engine



Large 230mm ball bearing wheels



Cutting height range 20-90mm



COX engineered swing back blades


Specifications are a guide only and subject to change without notice for all models.



2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022  
2021  
2020  
2019  
2018  
2017  
2016  
2015  
2014  
2013  
2012  
2011



High tensile 6, 9 and 12 cylinder blade cutting systems




30 - 50L capacity all steel catchers



Differential split ribbed rubber rear drive roller for perfect traction




Long life, sealed bearings with grease nipples mounted in cast iron housings




Solid all steel front roller



Fully sealed, cast aluminum chain cover, protects moving parts from grass and dirt



Easy engage centrifugal clutch, driving blades and movement



Micro height adjuster 5-35mm

# COX

professional™

Engineered For Life

## CYLINDER

14 17 20 25

For those enthusiasts who know the difference between cutting grass and cultivating lawns (and secretly want to be a bowling green curator) our built for life Professional range of cylinder mowers have the most advanced features to provide a perfectly smooth cut every time.

Timeless design, precision engineered, all steel construction protected with hard wearing powder coating, cutting widths from 14' to 25", powered by world class Briggs & Stratton four stroke engines and the option of three high tensile blade cutting systems will satisfy any discerning lawn connoisseur.



Models	Cylinder 14	Cylinder 17	Cylinder20	Cylinder 25
Engine	Briggs & Stratton 550 OHV	Briggs & Stratton 550 OHV	Briggs & Stratton 750 OHV	Briggs & Stratton 750 OHV
Sealed bearings with grease nipples	•	•	•	•
Precision engineered drive assembly	•	•	•	•
Centrifugal clutch	•	•	•	•
High tensile steel blade cutting system	6 blade	6 blade	6 blade	6 blade
Cutter width	355mm (14")	435mm (17")	510mm (20")	630mm (25")
Micro height adjuster (5 mm to 35 mm)	•	•	•	•
Solid 3.5mm Steel Chassis	•	•	•	•
Sealed aluminium chain cover	•	•	•	•
Solid steel grass catcher	30Lt	35LT	40Lt	50Lt
Split ribbed rubber rollers	•	•	•	•
Chrome plated ergonomic handles	•	•	•	•
Optional extra cylinders available		9 Blade	9 Blade	9 and 12 blade
Optional fine cut bottom blade			•	•
Suitable lawn area	Up to 400m	400-1000m	750-1500m	Over 1000m
Domestic warranty	4 Years*	4 Years*	4 Years*	4 Years*



2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022  
2021  
2020  
2019  
2018  
2017  
2016  
2015  
2014  
2013  
2012  
2011

# COX Piecemaker™



## Recycle, Reduce, Revegetate

Our new Piecemaker comes with Push button easy start and recoil pull start combinations. The Piecemaker has set the benchmark for garden waste recycling for nearly 20 years.

## Turn garden waste into valuable recycled mulch.

- All metal construction - built to last
- Compact design
- Powerful performance
- Patented Anti-Clog system
- No-Mess catching system for minimal clean-up
- Suitable for fibrous material including palm fronds




Wide hopper for leaves and branches up to 40mm



Class leading 225cc COX engine, with push button electric and/or recoil start options.



Long-life Double-edge Carbon Steel blades. Can be reversed and resharpened



Crankshaft Protection - 35mm 1350 kg load-rated bearing unit



Quick Release Clamshell design making cleaning and blade rotation are quick and easy



No-Mess High-speed discharge and Catcher system



Models	PC225C
Engine	COX 225 Series
Engine Configuration	4-stroke, air-cooled, OHV
Engine Displacement (cc)	225
Cylinder	Cast Iron Sleeve
Fuel Tank Capacity (L)	1.1
Oil Capacity (L)	0.7
Starter Type	Electric & Recoil Start options
Limited Warranty	2 Yrs*

Specifications are a guide only and subject to change without notice for all models.



2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022  
2021  
2020  
2019  
2018  
2017  
2016  
2015  
2014  
2013  
2012  
2011



## Vertical Chipper

Our 6.5hp and 13.5hp Briggs & Stratton powered Vertical Wood Chippers are compact, durable and powerful machines suitable for keen gardeners wanting quality mulch.

Twin rotating blades catch on branches and garden waste up to an impressive 100mm in diameter, easily dragging through and cutting into nice square 12mm chips that will quickly rot down.

Ignition key electric start, rugged all steel construction, extended drawbar with standard 50mm tow ball (13.5hp model) and large wheels, means maneuvering over rough ground is straightforward.



Self feeding, oversized intake bin capable of waste up to 100mm

Ignition Key Electric Start

Swivel heads allows you to direct waste where you need it (13.5HP Model)

Power feed chipper drum drawing in branches up to 10m per minute

All terrain Pneumatic tyres

Standard 50mm tow hitch

Models	CVC6B	CVC13B
Engine	Briggs & Stratton XR950	Briggs & Stratton XR2100
Torque (ft-lbs)/HP	9.5/6.5HP	21/13.5HP
Engine Displacement (cc)	208cc	420cc
Starting System	Electric	Electric
Fuel Tank Capacity (LT)	3.1	6.5
Oil Type/Volume	10W30/600ml	10W30/1.1Lt
<b>Chipper Specs</b>		
Chipper Type	Twin Blade Drum Type	Twin Blade Drum Type
Average Chip Size	12mm	12mm
Drive Type	Twin Kevlar Belts	Twin Kevlar Belts
Max Chipping Capacity	75mm/3"	100mm/4"
Method	Self Feeding Chute	Self Feeding Chute
Safety Features	Emergency stop button	Emergency stop button
Discharge chute	360° rotatable	360° rotatable
Wheel Size	4,10/3.50-4 Pneumatic Wheel	16 x 8.0-7 Pneumatic Wheel
Weight	100Kg	200Kg
Warranty	2 year*	2 year*





2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022  
2021  
2020  
2019  
2018  
2017  
2016  
2015  
2014  
2013  
2012  
2011

# COX

## Log Splitter

Our extensive range of manual and powered Professional log splitters are designed to split your gnarly wood chunks, branch crotches, end cuts and firewood logs with ease, ensuring maximum efficiency and increased productivity.

Flip-up forward stand with spring-loaded lock

Auto return valve on 27T, 32T and 37T

Built-in log cradle for safer splitting on 27T, 32T and 37T

Standard 50mm Tow Hitch on 27T, 32T and 37T

Pneumatic tyres

Vertical and Horizontal operation on 27T, 32T and 37T



Model	MS12	LS12J	LSP27B2	LSP32B2	LSP37B2
Engine		COX 6.5hp	B&S 6.5hp	B&S 7.5hp	B&S 10hp
Splitting Force	12 Ton	12 Ton	27 Ton	32 Ton	37 Ton
Max Log Length	400mm	508mm	660mm	660mm	660mm
Pump Capacity		2.85GPM	14GPM	16GPM	17GPM
Cylinder Cycle Time		26 secs	11.5 secs	13.5 sec	14 secs
Hydraulic Capacity		8 litres	24 litres	30 litres	33 litres
Control Valve	Suction	Suction	Auto-Return	Auto-Return	Auto-Return
Hoses		High Pressure, coil wrapped, w/wire braided.			
Wedge Size	150mm	160 mm	228mm	228mm	254mm
Wheels	8"	10"	16" DOT Appr	16" DOT Appr	16" DOT Appr
Tow Hitch			50mm	50mm	50mm
Work Table			Std	Std	Std
Gross Weight	53kg	110kg	236kg	240kg	293kg
Warrantyrty	2 year*	2 year*	2 year*	2 year*	2 year*



12 Ton Half Beam Splitter

12 Ton Manual Splitter

Specifications are a guide only and subject to change without notice for all models.





# The Stand-on mowing revolution has arrived!

Boasting agility, balance and refinement our Wright Stander are designed for entry level landscapers or professionals seeking a mower that’s compact, maneuverable and easy to use.

Ranging from cutting deck sizes 32” through to 52” and with super reliable Kawasaki FS engines and Hydro-Gear transmissions these Stander will take your mowing to the next level.



Long range 18 litre fuel tank



Tool-free battery access



Easy to use hand controls



Hydro-Gear ZT-3100 transaxles



Durable steel leaf & debris shield



Kawasaki  
— ENGINES —

Models	CWS32	CWS36	CWS48	CWS52
Name	Stander B 32 FS600E	Stander B 36 FS500E	Stander B 48 FS651B	Stander B 52 FS651E
Engine	Kawasaki FS600E	Kawasaki FS600E	Kawasaki FS651E	Kawasaki FS651E
Horsepower	18.5 HP	18.5 HP	22 HP	22 HP
Max Acres (p/h)	2.4	2.65	3.46	3.75
Transaxle	Hydro-Gear ZT3100	Hydro-Gear ZT3100	Hydro-Gear ZT3100	Hydro-Gear ZT3100
Deck Size	32"	36"	48"	52"
Blade Quality	2	2	3	3
Blade Length	40cm	45cm	40cm	45cm
Weight	318kg	323.5kg	353.8kg	362.9kg
Length	1.68m	1.68m	1.69m	1.69m
Width (Deflector Down)	1.16m	1.24m	1.57m	1.67m
Width (Deflector Up)	0.86m	0.95m	1.24m	1.34m
Warrantly	2 year*	2 year*	2 year*	2 year*

COX Commerical Finance also available to approved applicants.

**COX**  
Commercial  
**WRIGHT**  
**STANDER® B**



Easy access to fuel & servicing



Premium Elastomer springs provide a super smooth ride



2"(50mm) - 5"(125mm) simple deck height adjustment

Specifications are a guide only and subject to change without notice for all models.

**COX**  
Engineered For Life



2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022  
2021  
2020  
2019  
2018  
2017  
2016  
2015  
2014  
2013  
2012  
2011

Take on your next season with a ZK - the ultimate stand on mower!

The most productive and versatile large frame mower ever built. Big bore EFI engines provide power without compromising efficiency.

High flow hydraulics propel high traction 23" or 24" tires for excellent hill holding, and dual sided fuel tanks provide all-day run time.

**COX**  
Commercial  
**WRIGHT**  
**STANDER® ZK**

○ Dual Wheel option available for extra traction



○ Storage bag standard



○ Easy push button deck lift provides 40-140mm adjustment



Models	CWSZK52K	CWSZK52V	CWSZK61V	CWSZK72V
Name	Standar ZK 52	Standar ZK 52	Standar ZK 61	Standar ZK 72
Engine	Kawasaki FX850E	Vanguard 37HP 61E8E	Vanguard 37HP 61E8E	Vanguard 37HP 61E8E
Horsepower	27 HP	37 HP	37 HP	37 HP
Max Acres (p/h)	2.4	2.65	3.46	9.09
Transaxle	Hydro-Gear wheel pump motor 16cc			
Deck Size	52"	52"	61"	72"
Blade Quality	3	3	3	3
Blade Length	45cm	45cm	53cm	62cm
Weight	470kg	482kg	518kg	545kg
Length	1.70m	1.70m	1.76m	1.83m
Width (Deflector Down)	1.66m	1.66m	1.89m	2.16m
Width (Deflector Up)	1.34m	1.34m	1.57m	1.85m
Warranty	2 year*	2 year*	2 year*	2 year*



○ 55L fuel capacity providing 12+ hours run time



○ Wright's premier aero core deck design



○ Top speed 22KPH



2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022  
2021  
2020  
2019  
2018  
2017  
2016  
2015  
2014  
2013  
2012  
2011

# Modesty aside, our Turf One ZTR is literally Contractor proof!

Deck and Chassis fabricated in 4mm steel, Hydro-Gear ZT3400 transaxles and premium Kawasaki FX range engines combine to make this simply unstoppable within our Australian turf landscape.

Available in 48" (1220mm), 54" (1370mm) and 61" (1550mm) deck widths, the all new Turf One is a high performance, guaranteed to get the job done right, first time machine.



Adjustable counterweight floating suspension seat with arm rests

Automatic Park Brake

Massive 64 litres fuel capacity

Heavy duty spring assisted deck foot lift

Fully fabricated 4mm powder coated steel deck

Removable floor panel for easy cleaning

Extended cutting height range from 20mm - 120mm



Models	CZT48	CZT54	CZT5427	CZT61
Name	Turf One 48	Turf One 54	Turf One 54-27	Turf One 61
Engine	Kawasaki FX751	Kawasaki FX751	Kawasaki FX850	Kawasaki FX850
Horsepower	24.5 HP	24.5 HP	27 HP	27 HP
Max Acres (p/h)	5.3	7.1	7.1	8
Transaxle	Hydrogear ZT3400	Hydrogear ZT3400	Hydrogear ZT4400	Hydrogear ZT4400
Deck Size	48"	54"	54"	61"
Blade Quantity	3	3	3	3
Blade Length	41.4cm	46.4cm	46.4cm	52.1cm
Weight	548kg	648kg	650kg	689kg
Length	2.05m	2.05m	2.05m	2.15m
Width (Deflector Down)	1.51m	1.64m	1.64m	1.84m
Warranty	2 year*	2 year*	2 year*	2 year*

COX Commerical Finance also available to approved applicants.

Specifications are a guide only and subject to change without notice for all models.





2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022  
2021  
2020  
2019  
2018  
2017  
2016  
2015  
2014  
2013  
2012  
2011



Armrest Kit



Oil Drain Valve




Side Catcher



Catchpro Side Catcher



Dual Fuel Tank System



Mulching Kit




Wide Wheel Package\*



All purpose MowPak



Trickle Charger



Rear 127mm (5")  
Anti-Scalping Wheels  
for 890mm (35") Deck



Full Cover



Tow Hitch

\*For ZTR Only

Industry Leading Five Year Warranty.



We are so confident of the Design, Engineering, Workmanship and Materials that go into every COX, that we offer an industry leading five year warranty\*. Its that simple!



Engineered For Life

\*Warranty conditional on the unit being serviced annually by an authorised COX Dealer.